





Light colors and brightness adjustable via rotary switch, App or by control unit refrigerated cabinet

Light colors adaptable to individual customer requirements

Light colors in new furniture can be adapted to the existing furniture

No additional costs for the light

Up to 85% less product variety, resulting in better availability and more efficient stocking

2-wire cabling can be retained







DIMMING

COLOUR CHANGE

- > dim to predefinded levels (using the switch)
- > dim how you like (using your control unit)

- neutral white to meat
- > different white colours
- > meat to different meat



READY FOR THE FUTURE



6200207 LCR-TUNE-L1500-VRL- 940/FR 71563 - 00006

Rückseite / back side pacerowa 4 24V===15,0W IP65 ta: -30°C ~ +10°C tc: 35°C TUNE: dimming and colour change only in combi with Lxpro device

CEOR


Use tunable products already with predefined light \checkmark

colour as your standard lighting

nearly price neutral

You want to use the feature already now? Than let's see how it works!







1. switch



- ✓ 6 scenery channels available
- ✓ configuration can be defined once
- ✓ easy and fast implementation



2. Ixpro module



	≪: INLAN CAL ♥ 0 1006 ▲ Gruppe 1	
1		
 	% 40 50 60 70 80 90 100 Ketvin 2800/3000/4000/5000/5700/6500	

- Module ready to use
- ✓ Frst step of digitalization the light
- ✓ Lxpro app already available



3. your control unit








OUR FAVORITE!

- ✓ Reduce product variety, resulting in better
 - availability and more efficient stocking
- Build customer loyalty through patented system
- Added value = more business opportunities





LET`S SUMMARIZE

Light colors and brightness adjustable via rotary switch, App or by control unit refrigerated cabinet

Light colors adaptable to individual customer requirements

Light colors in new furniture can be adapted to the existing furniture

No additional costs for the light

Up to 85% less product variety, resulting in better availability and more efficient stocking

2-wire cabling can be retained





Thank you!

For more information, contact us: Phone: +48 77 443 77 44 E-mail: info@lxpro.pl